



PROJECT SOLUTION LED SCRREN

# Agenda

ABOUT 2F LEUCHTEN


SOLUTIONS

CASE STUDY





#### ABOUT OUR BACKGROUND





- Situated in the Salzburg mountains, Austria
- was founded in 1972
- Employs more than 80 highly motivated people
- together they unite the various skills: Locksmiths, painter, carpenter, tailors, electrical engineers, mechanical engineers, and lighting

2F is a factory that can reinvent itself again and again. It seems every single manufactured model as an experience and an opportunity to build new ways to produce unique lighting.



"N+X" redundancy

"3-to-1" full color

Mini LED

Smart mask-free EFI

Energy-saving

Advertising screen longlasting mask


### 10 Leading Technologies

Non-shut-down fine-pitch LED

Advertising screen color consistency

5-axis & 3-dimensional fine machining

Fine-pitch die-casting cabinet fine machining



EMC lab


4% of annual turnover as R&D investment

### State-level High-tech Enterprise

240+ national patents

3D prototyping processing center

# REFERENCE PICTURES






#### ■ Born for Outdoor

in high clarity.

The anti-collision glue-filling surface well resists water and dust, bringing IP65 high protection and unprecedented operational reliability.

optimal see-through view yet with smooth images





#### ■ Easy Set-up & Maintenance

Ultra-light & thin modularized cabinet can be maintained from both front and rear, achieving time & labor-saving installation and serviceability.

#### ■ High Energy Efficiency

Hollowed-out aluminum-made frame brings excellent heat dissipation and high energy efficiency for outdoor applications.

## LWG SERIES

Model	LWG 3.9X7.8
Pixel Pitch (mm)	3.9X7.8
Pixel Density (Pixels/m²)	32768
LED Type	SMD
Module Size W×H (mm)	500x250
Module Resolution W×H	128x32
Panel Size W×H (mm)	1000x500
Panel Resolution W×H	256x128
Panel Material	Die-casting aluminum
Weight (Kg/m²)	15
Brightness (nits)	4500
Brightness Adjustment	Programmable / Automatic / Manual
Viewing Angle (H/V)	120° / 120°
Gray Scale (bit)	14
Refresh Rate (Hz)	3840
Frame Rate (Hz)	50 / 60
Contrast Ratio	3000:1
Color Temperature (K)	2000 ~ 10000 (Adjustable)
Voltage (V)	AC 110-220
Average Power Consumption (W/m¹)	260
Maximum Power Consumption (W/m²)	800
Serviceability	Front / Rear



LED Lifetime (Hours)

**Building Exterior** 




100000

Shopping Mall



**Cultural Tourism** 


#### THE FACE OF THE STEEL STRUCTURE




### STRUCTURE

- Screen size: [19.2 m (L)+9.6 m (W) ] x 9.6 m (H)
- Area: 276.48 m²
- Whole screen weight (screen+structure): <u>17143 kg</u>
- Whole screen thickness (screen+structure): 320 mm
- Whole screen power consumption (Max.) : <u>235 KW</u>
- Whole screen power consumption (Average ) : <u>59 KW</u>

#### HERCULES SERIES







## PRODUCT

Pixel pitch PH10

**LED lamp** SMD3535 golden wire

**Cabinet size** 1200\*1200\*90 mm

Cabinet weight 27 Kg/m<sup>2</sup>

**Brightness** 8000 cd/m<sup>2</sup>

**Protection level** IP65

**Maintenance** front

Max. power consumption 850 W/m<sup>2</sup>

**Average/working power consumption** 212 W/m<sup>2</sup>

### NECC BAHRAIN

- Exhibition and Convention Center, Bahrain
- Lighting Concept, Decorative and technical lights, Light-Managements System and installation
- 4.5 Mio. €, 2023
- Government Bahrain, Tilke, Cebarco





### NECC BAHRAIN


• Pixel Pitch: P5

• Screen Size: 276,48m<sup>2</sup>

• L9600mm-19200mm-10000mm

• Completion Date: 2023





### NECC BAHRAIN

• Pixel Pitch: P5

• Screen Size: 245,76m<sup>2</sup>

• L25600mm-9600mm

• Completion Date: 2023



### DUBAI YITY WALK

• Pixel Pitch: P10 & P6

• Screen Size: 2000m<sup>2</sup>





### NEW GIZA, EGYPT

• Pixel Pitch: P32

• Screen Size: 1210m<sup>2</sup>

• Completion Date: 2008

Regarded as "one of the top seven LED wonders of the world"







2F Leuchten Gesm.b.H Pichl 118 5441 Abtenau +43 6243 2407 office@2f-leuchten.com www.2f-leuchten.com



